

BID SPECIFICATIONS

SELECTED MODEL & OPTIONS

<u>Code</u>	<u>Description</u>
CK36003	2017 Chevrolet Silverado 3500HD 4WD Regular Cab 137.5"WB, 59.9" CA WT Dual Wheels

MECHANICAL

EMISSIONS

FE9 Emissions, Federal Requirements

ENGINE

LMM ENGINE, DURAMAX 6.6L TURBO DIESEL V8,B5-DIESEL
COMPATIBLE (365 hp 271.7 kw @ 3200 rpm, 660 lb-ft of torque 894.6
N-m @ 1600 rpm) (includes TUB heavy-duty dual, cold-cranking amp battery and (K05)
Engine block heater.)

TRANSMISSION

MW7 TRANSMISSION, ALLISON 1000 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED
WITH OVERDRIVE, ELECTRONIC ENGINE GRADE BRAKING AND TOW/HAUL MODE. Includes
(KNP) external transmission oil cooler. (Requires (LMM) Duramax 6.6L Turbo Diesel V8
engine. Also includes provisions to assist with an "aftermarket" PTO installation.)

DIFFERENTIAL

G80 DIFFERENTIAL, HEAVY-DUTY AUTOMATIC LOCKING REAR

AXLE

GT4 REAR AXLE, 3.73 RATIO

PREFERRED EQUIPMENT GROUP

1SA WORK TRUCK PREFERRED EQUIPMENT GROUP, includes Standard Equipment

TIRES

QCV TIRES, LT225/75R17E ON/OFF – ROAD, BLACKWALL

SEAT TRIM

V SEAT TRIM, DARK TITANIUM VINYL (STD) (Vinyl seats require (BG9) Graphite-colored rubberized vinyl floor covering.)

PAINT

ZY1 PAINT, SOLID (std) WHITE

AIR CONDITIONING

C67 AIR CONDITIONING, SINGLE-ZONE MANUAL FRONT CLIMATE CONTROL

RADIO

UM7 AUDIO SYSTEM, AM/FM STEREO with seek-and-scan and digital clock.

ADDITIONAL OPTIONS

TUV BATTERY, HEAVY-DUTY DUAL 730 COLD-CRANKING AMPS, MAINTENANCE-FREE with rundown protection and retained accessory Power (Included and only available with (LMM) Duramax 6.6L Turbo Diesel V8 engine.)

PTO POWER TAKE OFF, ENGINE CONTROL PROVISIONS (Included and only available with (MW7) Allison 1000 6-speed automatic transmission.

K05 ENGINE BLOCK HEATER (Included with (LMM) Duramax 6.6L Turbo Diesel V8 engine)

TRW PROVISIONS FOR CAB ROOF MOUNTED LAMP/BEACON, provides and Instrument panel-mounted switch and electrical wiring tucked beneath headliner for A body upfitter to connect a body-mounted warning or emergency lamp. 30-amp nominal rating. Included with (VYU) Snow Plow Prep Package.

AJ1 GLASS, SOLAR-RAY DEEP-TINTED

DF2 MIRRORS, OUTSIDE HIGH-VISIBILITY VERTICAL CAMPER-STYLE, BLACK with manual Folding and extension and lower convex spotter glass.

VYU SNOW PLOW PREP PACKAGE, includes 15-amp power for backup and roof
Emergency light, high-flow front bumper, forward lamp wiring harness, (TRW)
Provision for cab roof mounted lamp/beacon, instrument panel jumper wiring
Harness for electric trailer brake controller. Includes (K76) dual 125-amp
Alternators with (LMM) Duramax 6.6L Turbo Diesel V8 engine.

K76 ALTERNATOR, DUAL, 125-AMPS EACH Requires (LMM) Duramax 6.6L Turbo Diesel
engine. Also included with (VYU)Snow Plow Prep Package.

9S1 SEATS, DRIVER AND PASSENGER FRONT INDIVIDIAL SEATS IN VINYL TRIM Derived from
RPO (AE7) Split Bench with center 20% section removed. Seats are manual, not
power. Does not include floor console. Exposed floor areas will remain untrimmed.

HITCH Heavy-duty (Type III) trailer package in include receiver hitch

HYDRAULICS CENTRAL HYDRAULIC SYSTEM

10L Trailer Brake Controller
2 Cab steps (Stainless)
35 gallon fuel tank
Power windows and power door locks

BID SPECIFICATIONS

SELECTED MODEL & OPTIONS

PART NUMBER	DESCRIPTION
	KNAPHEIDE PVMXS-93C PLATFORM BODY
	MODOT BID#3-1411204TV
1 KNAP PVMXS-93C	MODOT OPTION 15B.1
	PVMXS-93C 180C SMO.STL. BLACK Overall length 9'-3"
	Overall width-----95.75"
	Platform Floor-----10 ga. HS smooth STEEL
	Side rails-----5.88" 12 Ga. HS
	End Rail, front-----5.88" 12 Ga. HS
	Cross sills (18"spc.)-----5.44" 11 Ga. HS formed
	Long sills (34"spc.)-----5" structural channel
	Platform prime paint-----Complete immersion in Electrodeposition gray epoxy primer.
	Undercoating-----Complete undercoating
	Platform finish paint-----Oven-cured black paint
	Platform lights-----11 rectangular, sealed
	Cushion strips-----2" x 3" nom. dense ylw. Pine
	Tapered rear skit/rear end rail combination, 12Ga.
1 KNAP KH-1512SF	UNDERBODY HOISST
1 KNAP 26208967	LED LIGHT KIT, LOOSE
	FOR ALL CONVENTIONAL DRW MODELS
1 KONE 082436-SL	MUD FLAPS 24" X 36" PRINTED
1 BUYE MFBH2376A	MUDFLAP MNT PLATE 90DEGREE

1 BUYE BA0972 BACK UP ALARM 97DB STD

1 KNAP BHR4096C MODOT OPTION 15D TAPERED BULDHEAD 92" X 40"
HEAVY DUTY WELD ON RECT, PUNCH WINDOW BLACK
****KEEP AS LOW AS POSSIBLE!!!****

1 RCKE I.C.C. STEP MODOT OPTION 15T ICC BUMPER

1 BUYE RT255808 RECEIVER TUBE 2-1/2INidx8in 5/

1 BUYE RTA252 ADAPTER 2 5in/2 Oin Receiver 2 1/2" to 2"

1 REDN 3074 7 WAY PLUG

2 ECCO 3861A LED DIRECTIONAL OVAL-MOUNT
AMBER 7 FLASH PATTERNS
MOUNTED IN REAR APRON
****ALL STROBES ON ONE SWITCH IN CAB****

BID SPECIFICATIONS

SNOW PLOW

1 WESTERN HEAVY- DUTY CONTRACTOR GRADE PERFORMANCE (PRO PLUS Ultra Mount 2)

Model 9'

Blade Width 9'

Blade Height 31-1/2"

Blade Gauge 12

Trip Springs 4

Shock Absorbers 2

Vertical Ribs 8

Angling Rams 1-1/2" X 12"

Plowing Width (full angle) 7'9"

Approx. Weight (less mount) 837 lb

Disc Shoes Cast Iron

Cutting Edge **CARBIDE CUTTING EDGE**

Mount Type Ultra Mount 2

Deflector Kit for the Ultra Mount 2

1 ECCO 5580CA-VM LED Minibar, 8 Head, Vac Mag Installed on Truck Cab Roof

2 ECCO 3510A SAE CLASS I LED LIGHT HEAD Installed in Front Grill

****ALL STROBES ON ONE SWITCH IN CAB****

BID SPECIFICATIONS

SELECTED MODEL & OPTIONS

1 WESTERN STRIKER HYDRAULIC SALT SPREADER

Body Side Length 9'

Capacity 3.0 cu yd

Hopper Construction 16 ga Stainless Steel

Dimensions overall (LXWXH) 108" x 50" x 41"

Available Power Options & Approx. Weight (Empty) Dual Hydraulic Motors 695 lb

Conveyor Width 16-1/2"

Spinner Size 15-1/2"

Spreading Width up to 40'

Materials Salt, Sand, Salt/Sand Mix

Vehicle Applications Flatbed Truck (over 15,000 lb GVWR)

INSTALLED ON A NEW CHEVROLET SILVERADO 3500HD 4WD/WITH DUAL WHEELS (ALL HYDRAULIC)